





### BM3035 I BM3050

www.plockmaticgroup.com

# A modular design adaptable to your application requirements




### BM3035 and BM3050

The new Morgana BM3035/3050 is a modular booklet making solution for centralised reproduction departments and commercial print providers - large and small. Customers can choose from a range of cost-effective options to support their application requirements. The system is packed with a host of unique technologies that deliver finished books with quality to match today's printing systems.

Customers are demanding more media versatility from digital print. The Morgana BM3035/3050 is designed from the ground up to work with today's coated, uncoated and textured paper stocks.

### **Key features**

- Morgana BM3050 200 page (50 sheet) booklet maker
- Morgana BM3035 140 page (35 sheet) booklet maker
- Intuitive user interface
- Patented folding mechanism provides a sharp professional finish
- Book thickness measuring automatically sets the fold pressure
- Heavy duty stapling heads with 5000 staple cartridge
- Face Trimmer Module option will trim the shingle off the front of the book
- Optional Squarefold unit to give square edged books with flatter finish.



Combine your **Booklet Maker** with the power of a high performance **Feeder** for maximum productivity

### Modules

**Booklet Maker:** the simplest configuration includes the Booklet Maker and output tray to provide a simple solution by producing hand feeding sets - stapling, folding and stacking.

**Face Trimmer:** the addition of the trimmer removes the shingled effect on the face of the folded document and provides a clean document edge.

**Squarefold:** this unit adds a square folded spine for a professional, perfect bound look to the finished book.



### Available with our High Capacity Feeder

The Morgana BM3035/3050 can be equipped with the vacuum VF602 dual bin feeder designed for pre-collated sets. Each bin can be loaded separately on the run to give continuous production.



## **Technical Specifications**

#### BM3035/3050

· · · · · · · · · · · · · · · · · · ·	
Standard paper sizes	A4, A3, B4, SRA4, SRA3, Custom sizes possible
Paper size, min	W206 x L275mm
Paper size, max	W320 x L457mm
Paper weight	Uncoated (Min) 64 gsm Coated (Min) 105 gsm
Paper weight, max	300gsm
Set size (stapled folding)	2-50 Sheets BM3050 (80gsm) 2-35 Sheets BM3035 (80gsm)
Off-line use	Yes
Power source	100-230V 50-60Hz
Power consumption	250W
Noise emission	62dB
Dimensions	H1010 x W810 x D752mm

AF602 / VF602 Dual Bin Feeders		
No. of bins	2	
Bin capacity	2 x 270 mm	
Sheet size, max	350 x 660 mm	
Sheet size, min	120 x 210 mm	
Paper weight, max	300 gsm	
Paper weight, min	60 gsm	
Centre registration	Yes	
Air separation	Yes	
Error detection	Double feed, misfeed, empty bin, paper jam	
Dimensions	H1260 x W1017 x D700 mm	
Weight	250kg	


### Squarefold Specification (Optional)

Paper size, max	Same as BM3035/3050
Set size (stapled folding)	From BM3035/3050
Power source	From BM3035/3050
Dimensions	H1010 x W260 x D620mm

Trimmer Specification (Optional)		
Minimum trimming	1 mm	
Maximum trimming	16 mm (single trim)	
Power source	From BM3035/3050	
Standard paper sizes	Same as BM3035/3050	
Dimensions	H1010 x W360 x D620mm	

The Trimmer supports "multi-cut" operation. This allows customers to trim more than 16mm to create booklet sizes down to 100 mm.

### BM3000 System with CST Bleed Trim Unit - Machine footprint



### // Plockmatic Group / www.plockmaticgroup.com

\*Disclaimer As part of our continued product improvement plan, specifications and information published here are subject to change without notice. All specifications are dependent on application, type of stock, temperature, RH and print engine used. Specifications quoted were measured on uncoated and unprinted stock. E & OE.